



IOWA DEPARTMENT OF NATURAL RESOURCES
AFO Desktop Assessment Form

Assessor:	Chris Gelner	Assessment Date:	10/06/2017
Documentation Examined:			
<input checked="" type="checkbox"/> AFO Siting Atlas	<input checked="" type="checkbox"/> Facility File	<input checked="" type="checkbox"/> FOCD	<input checked="" type="checkbox"/> AFO Database
<input checked="" type="checkbox"/> MMP	<input checked="" type="checkbox"/> Public Mapping Information Google Maps	<input type="checkbox"/> Other _____	
FACILITY: Baumler Acres		FACILITY ID#: 62709	
ADDRESS: 22472 210 th Street		CITY: Hawkeye	STATE: IA ZIP: 52147
PLSS: Section 21, Bethel Township (T94N, R10W), Fayette County			
NAME: Keith Baumler			
ADDRESS:		CITY:	STATE: ZIP:
WORK:		HOME:	CELL:
EMAIL:			
ANIMAL TYPE(S)	CAPACITY	CURRENT HEAD	# OF PENS # OF BUILDINGS
Swine – Finish	3,000	Unknown	Unknown 3
FACILITY TYPE	<input checked="" type="checkbox"/> Confinement <input type="checkbox"/> Open Lot <input type="checkbox"/> Combined		
STORAGE TYPE	<input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Dry <input checked="" type="checkbox"/> Covered <input type="checkbox"/> Uncovered		
	<input type="checkbox"/> Earthen Manure Storage Structure #	<input type="checkbox"/> Anaerobic Lagoon #	
	<input checked="" type="checkbox"/> Below Building Pit # 3	<input type="checkbox"/> Aerobic Lagoon #	
	<input type="checkbox"/> Outside Concrete Pit #	<input type="checkbox"/> Outside Stockpile #	
	<input type="checkbox"/> Slurry-store #	<input type="checkbox"/> Covered Stockpile #	
	<input type="checkbox"/> Unknown		
	<input checked="" type="checkbox"/> Large CAFO [†] <input type="checkbox"/> Medium AFO <input type="checkbox"/> Small AFO		
[†] All large CAFOs require an onsite inspection.			
Watercourse Name: Haugh Creek			
Distance between facility and nearest watercourse:		<input type="checkbox"/> < ¼ mile ^{††}	<input checked="" type="checkbox"/> > ¼ mile
Description of flow path(s) to watercourse: Northwest about 2,600 ft to Haugh Creek			
^{††} All medium combined or open lot AFOs within a ¼ mile of a watercourse and that drain towards that watercourse require an onsite inspection. All medium confinement AFOs that utilize uncovered manure/litter storage and are within a ¼ mile of a watercourse and that drain towards that watercourse require an onsite inspection.			
Has there been a discharge to a Water of the U.S. within the last 5 years?		<input type="checkbox"/> Yes ^{†††}	<input checked="" type="checkbox"/> No
If yes, did the facility permanently remedy the cause of the discharge?		<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Unknown
^{†††} All medium confinement AFOs that have discharged to water of the U.S. within the last 5 years require an onsite inspection.			
Has there been a significant release within the last 5 years?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
If yes, did the release present a significant threat of discharge?		<input type="checkbox"/> Yes* <input type="checkbox"/> No	<input type="checkbox"/> Unknown
* All medium confinement AFOs that have had a significant release in the last 5 years and the release presented a significant threat of discharging to a water of the U.S. require an onsite inspection.			
Have there been any complaint investigations?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
If yes, describe:			
Has an onsite inspection been conducted at this facility since 11/1/11?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
If yes, was the inspection functionally equivalent to facility type specific SOP (i.e., confinement, open feedlot or combined)?		<input type="checkbox"/> Yes** <input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Inspection Date:		Describe:	
** No onsite inspection is required if a functionally equivalent inspection has been performed since 11/1/11.			

RUNOFF ASSESSMENT	Is there evidence that manure, litter, or process wastewater is uncontrolled and/or unmanaged?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
	If yes, describe:				
	Are there tile intakes within 100 feet of the production area?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Unknown
	If yes, describe:				
	Does the facility utilize uncovered/uncontrolled composting areas?		<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Unknown
	If yes, describe:				
Note: If assessor answered "Yes" to any of the questions in this section, then an onsite inspection should be performed.					
	Assessment Notes/Comments: Facility inspection to be conducted based on Large CAFO regulatory status.				
	<input checked="" type="checkbox"/> ONSITE INSPECTION REQUIRED.		<input type="checkbox"/> ONSITE INSPECTION <u>NOT</u> REQUIRED.		
AUTHENTICATION	INSPECTOR: Chris Gelner 	DATE: 10/6/17	REVIEWER: Brian Jergenson 	DATE: 10/6/17	
Note: This assessment was based on the information available on the date of the assessment. Conditions at this facility could change.					